



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com
Lic#

Certificate of Analysis

1 of 2



Glow

2608AFL1367.4782 | ATL-38536

PHOTO



SAMPLE INFO

Lot #	2026/06	Matrix	Peptide
Client	707 LABS	Type	Powder
Received	08/12/2026	Storage Cond.	Room Temperature (20°C to 25°C)
Reported	08/25/2026	Intended Use	Research Use Only
Appearance	Blue powder	Labeled Content	70

SUMMARY

99.92%
Purity


Pass
Endotoxins

Pass
Metals

Confirmed
Identity

CHROMATOGRAM

mAU



PEPTIDES

Complete

Date Tested: 08/12/2026

Compound	mg/unit	Status
BPC-157	9.26	Tested
GHK-Cu	57.67	Tested
TB-500	10.75	Tested
Total	77.68	

COA-12 Peptides Rev. 2

Lise Berthe-Laurent - Laboratory
Director 08/25/2026

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Powered by confident

2608AFL1367.4782



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
<http://accuratetestlab.com>
Lic#

Certificate of Analysis

2 of 2

METALS

Pass

Date Tested: 08/21/2026

Compound	LOQ	Limit	PPB	Status
Arsenic	49.0	1500.0	ND	Pass
Cadmium	49.0	500.0	ND	Pass
Lead	49.0	500.0	<LOQ	Pass
Mercury	49.0	3000.0	ND	Pass
Total			0.0	

ENDOTOXINS

Pass

Date Tested: 08/24/2026

Compound	Limit	EU/mg	Status
Endotoxin	5.00	0.04	
Total		0.00	

Lise Berthe-Laurent - Laboratory
Director

08/25/2026

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.